

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO.                                 | FILING DATE          | FIRST NAMED INVENTOR   | ATTORNEY DOCKET NO.     | CONFIRMATION NO. |
|---|----------------------|------------------------|-------------------------|------------------|
| 10/063,950                                      | 05/29/2002           | Harry Kirk Mathews JR. | 124463-2 2365           |                  |
| 6147 7  | 6147 7590 05/06/2004 |                        | EXAMINER                |                  |
| GENERAL ELECTRIC COMPANY                        |                      |                        | SWARTHOUT, BRENT        |                  |
| GLOBAL RESEARCH PATENT DOCKET RM. BLDG. K1-4A59 |                      | ART UNIT               | PAPER NUMBER            |                  |
| SCHENECTADY, NY 12301-0008                      |                      |                        | 2636                    | 1.               |
|   |                      |                        | DATE MAILED: 05/06/2004 | 4                |

Please find below and/or attached an Office communication concerning this application or proceeding.

| ·  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
|  | Application No.   | Applicant(s)   |  |  |  |  |
|  | 10/063,950  | MATHEWS ET AL.   |  |  |  |  |
| Office Action Summary  | Examiner  | Art Unit   |  |  |  |  |
|  | Brent A Swarthout   | 2636   |  |  |  |  |
| The MAILING DATE of this communication app<br>Period for Reply   | ears on the cover sheet with the  | correspondence address   |  |  |  |  |
| A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period we Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | 86(a). In no event, however, may a reply be tire within the statutory minimum of thirty (30) day fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE                          | mely filed  ys will be considered timely. In the mailing date of this communication. ED (35 U.S.C. § 133). |  |  |  |  |
| Status   |   |  |  |  |  |  |
| 1)⊠ Responsive to communication(s) filed on 24 Fe  | ebruary 2004.   |  |  |  |  |  |
|  |   |  |  |  |  |  |
|  | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. |  |  |  |  |  |
| Disposition of Claims  |   |  |  |  |  |  |
| <ul> <li>4) ☐ Claim(s) 1-18 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdraw</li> <li>5) ☐ Claim(s) 7-9 and 16-18 is/are allowed.</li> <li>6) ☐ Claim(s) 1 and 10 is/are rejected.</li> <li>7) ☐ Claim(s) 2-6 and 11-15 is/are objected to.</li> <li>8) ☐ Claim(s) are subject to restriction and/or</li> </ul>   |   |  |  |  |  |  |
| Application Papers   |   |  |  |  |  |  |
| 9)☐ The specification is objected to by the Examiner.  |   |  |  |  |  |  |
| 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.   |   |  |  |  |  |  |
| Applicant may not request that any objection to the o  | - · ·   | • •  |  |  |  |  |
| Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Example 11.  |   | -  |  |  |  |  |
| Priority under 35 U.S.C. § 119   |   |  |  |  |  |  |
| <ul> <li>12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents</li> <li>2. Certified copies of the priority documents</li> <li>3. Copies of the certified copies of the priori application from the International Bureau</li> <li>* See the attached detailed Office action for a list of</li> </ul>   | have been received. have been received in Application ity documents have been received (PCT Rule 17.2(a)).  | ion No ed in this National Stage   |  |  |  |  |
| Attachment(s)  |   |  |  |  |  |  |
| Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date   | 4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:  | (PTO-413)<br>ate<br>Patent Application (PTO-152)   |  |  |  |  |
| Polant and Trademat Office   |   |  |  |  |  |  |

Application/Control Number: 10/063,950

Art Unit: 2636

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- a. Claims 1 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Doctor.

Doctor discloses a hot rail car surface detection system comprising IR sensor 36, converting received signals into electrical signals via converter 66, filter 56 for producing a filtered array of signals (col. 3, lines 51-55), and comparator means 70 for determining if a maximum filtered value 100 is excessive enough to provide an alarm, in order to avoid false alarms (col. 1, line 56).

Although Doctor does not specifically state that a signal is compared to a threshold, choosing to make such a comparison with means 70 would have been obvious since it would have had to have compared the incoming signal to some reference value in order to determined if it was excessive or not.

Although Doctor does not specifically state that a rank filter is used, since Doctor teaches that the IR filter 56 allows the outputs to be arranged in a filtered array (col.3, lines 60-65), whereby processor detects peak sensed values, choosing to use a rank filter versus a filter as taught by

Application/Control Number: 10/063,950

Art Unit: 2636

Doctor would have been an obvious manner of engineering choice, since both provide the functionally equivalent result of generating an array of sensed values in order to determine a peak value, use of a rank filter providing no particular novelty over use of equivalent filter means.

- 2. Claims 2-6 and 11-15 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 3. Claims 7-9 and 16-18 are allowed.
- 4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brent A Swarthout whose telephone number is 703-305-4383. The examiner can normally be reached on M-F from 6:30 to 4:00.

Art Unit: 2636

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeff Hofsass, can be reached on 703-305-4717. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4700.

Brent A Swarthout Examiner Art Unit 2636

But Snauto

BRENT A. SWARTHOUT PRIMARY EXAMINER